

skf nutr dimensions tolerances

Our company offers different skf nutr, nutr 15 bearing price, nutr 15 bearing price, nutr 30 bearing at Wholesale Price? Here, you can get high quality and high efficient skf nutr

NUTR 30 X - SKFSKF uses cookies on our web site to align the information shown as closely as possible to the visitors' preferences and to tailor our web site user experience in

Buy SKF NUTR 30 A Roller Bearing at 3BG Supply CoBuy SKF NUTR 30 A Roller Bearing from 3BG Supply. Buy SKF Roller Bearing online from 3BG Supply - We simplify & supply industrial MRO and mechanical SKF NUTR 25 X - Flat Support Roller - Steel, 52 Buy SKF NUTR 25 X - Flat Support Roller - Steel, 52 mm Roller Diameter, 24 mm Roller Width, 25 mm Overall Width, 25 mm Bore, Sealed: Radial Shaft Seals

@@@@@@@@								
	a	P	h	D	J	m	E	F
BT2B 328957	-	-	-	-	-	-	-	-
BT2B 332 506/HA2	-	-	-	-	-	-	-	-
BT2B445 620 BB	-	-	-	-	-	-	-	-
BT4-0014 G/HA1C4 00VA903	-	-	-	-	-	-	-	-
BT4B328 209/HAIC 455	-	-	-	-	-	-	-	-
BTBH 329129 DE	-	-	-	-	-	-	10 mm	-
BTF1210 A	-	-	-	-	130 mm	-	-	-
BTH 1227	-	-	-	-	-	-	-	-
BTH1204	-	-	-	-	-	-	-	-
BTH-1215 C	-	-	-	-	-	-	-	-
BTH-1227	-	-	-	-	-	-	-	-
BTM 120B /DBAVQ4 96	-	-	-	-	-	-	-	-
BTM 90A / DBA	-	-	-	-	-	-	-	-
BTM90B/ DBAVQ49	-	-	36.513 mm	-	-	-	-	-

6								
BTW120C	-	-	-	28 mm	-	-	-	-
TN9(nylon cage)	-	-	-	-	-	-	-	-
Bush (180x 150x 144)	-	-	-	-	-	-	-	-
Bush (222x 190x 115)	-	-	-	-	94.5 mm	-	-	-
Bush EGB 2520-E40	-	-	-	190 mm	-	14.5 mm	-	-
Bushing 10*12*8	-	-	-	-	-	-	-	72 mm
Bushing Lip	-	-	-	-	-	-	-	-
Bushing Pin	-	-	-	-	-	-	-	-
BVN 311503	-	-	-	-	-	-	-	-
BVN 7102 B	-	-	-	-	-	-	-	-
BVN 7102 B	-	-	-	-	-	-	-	-
BVN 7102B	-	-	-	-	-	-	-	-
BVN 7107	-	-	85.725 mm	-	-	-	-	-
BVN 7107	-	-	-	-	-	-	-	-
BVN 7107B	-	-	-	-	-	-	-	-
BVN -7151	-	-	-	-	78 mm	-	-	-
BVN 7151A	-	-	-	-	177 mm	-	-	-
BVN 7160	-	-	-	-	-	-	-	-
BVN 7102	-	-	-	-	92 mm	-	-	-
BVN 7102 B	-	-	-	-	-	-	-	-
BVN 7107 A	-	-	-	-	-	-	-	-
BVN 7107 B	-	-	-	-	159 mm	-	-	-
BVN 7107 B 253D 1	-	-	-	-	-	-	-	-

23224+BV N 7102B 243D 117 261								
BVN 7107 B 253D 1 23244+BV N 7102B 243D 117 261	12.46 mm	-	-	57.15 mm	-	-	-	-
BVN/7160	-	-	-	-	-	-	-	-
BVN7102 B	-	-	-	-	-	-	-	-
BVN-7102 B	-	-	-	72 mm	-	-	-	-
BVN-7107 B	54 mm	-	-	-	-	-	-	-
BVN-7107 B	-	-	-	-	-	-	-	-
BVN7107 B	-	-	-	140 mm	-	-	-	-
BVN-7107 B	-	150 mm	-	-	-	-	-	-
BVN7151 A	-	-	-	-	104.2 mm	-	-	-
BVNB 311438	-	-	-	-	-	-	35 mm	-
BVNB 311503	3 mm	-	29 mm	40 mm	-	-	-	-
BVNB 311523 150H	-	-	-	-	-	-	-	-
BVNB311 438	-	-	-	-	-	-	-	-
BVNB311 503	-	-	-	-	-	-	-	-
BVNB311 503 AA	-	-	-	-	136 mm	-	-	-
BVNB311 523	-	-	-	-	101.6 mm	-	20 mm	-
BX-16068 MA/C3VL 0241	-	-	-	-	-	-	-	-
BX-16068 MA/C3VL 0241	-	-	-	-	-	-	-	-

ID340 OD								
520								
C 2220	-	-	-	-	-	-	-	-
C 2220K	-	-	-	-	-	-	-	-
C 2230 K	-	-	-	-	60 mm	-	-	-
6211-Z/C3	-	-	-	-	-	-	-	-
6211Z/C3	-	-	-	-	-	-	-	-
6211ZC3	-	-	-	-	-	-	-	-
6211-ZNR	-	-	-	55	-	-	-	-
6211ZZ	-	-	-	-	-	-	-	-
6211ZZ C3	-	-	-	-	-	-	-	-
6211ZZC3	-	-	-	-	-	-	-	-
6211-ZZC 3	-	-	-	-	-	-	-	-
6212 2Z / C3	-	-	-	-	-	-	-	-
6212 2Z- J/C3	-	-	-	-	-	-	-	-
6212 2Z- J/C3	-	-	-	-	-	-	-	-
6212 Z/C3	-	-	-	310	-	-	-	-
6212 – ZZ C3	-	-	-	-	-	-	-	-
6212 / C3	-	-	-	-	-	-	-	-
6212 2RS	-	-	-	-	-	-	-	-
6212 2RS C3	-	-	-	-	-	-	-	-
6212 2RS/C3	-	-	-	-	-	-	-	-
6212 2RS1	-	-	-	-	-	-	-	-
6212 2RS1/C3	-	-	-	-	-	-	-	-
6212 2RSNR C3	-	-	-	-	-	-	-	-
6212 2Z	-	-	-	-	-	-	-	-
6212 2Z / C3	-	-	-	-	-	-	-	-
6212 2Z C3	-	-	-	-	-	-	-	-
6212 2z c5	-	-	-	-	-	-	-	-
6212 2Z GJN C4	-	-	-	-	-	-	-	-

6212 2Z NR	-	-	-	-	-	-	-	-
6212 2Z/C3	-	-	-	90	-	-	-	-
6212 2Z/C3	-	-	-	-	-	-	-	-

SKF Support roller with flange rings with an inner ring series Find your Support roller with flange rings with an inner ring series NUTR at ERIKS. Choose from more than 500.000 products online and order right away

SKF - NUTR 50110 X - Motion Industries SKF NUTR 50110 X. Cylindrical Yoke Roller - Chrome Steel, 110 mm Roller Diameter, 50 mm Bore, 30 mm Roller Width, 32 mm Overall Width, Sealed SKF NUTR 30 X / NUTR30X, Support roller - NEW for sale SKF NUTR 30 X / NUTR30X, Support roller - NEW. Condition: New – Open box. \$69.25. + \$39.00 Shipping. Est. Delivery Tue, Mar 31. 30-day returns. Ships from

@@@@@@@				
KOMATSU	KOYO	IKO	FBJ	FAG
6212 2Z/C4	609 SNR	6004 LLUC3/2A	6013 2RS	61243 YSX(row)
6212 2ZC3	609 ZZ	6004 ZZ	6013 LLBC 3/5K	6127187 YSX
6212 2ZNR	609 ZZ P5	6004 ZZ	6013 ZZ	614-0611-YSX
6212 C3	609Z	6004 ZZ NR	6013 ZZ	6141317 YSX
6212 -C3	609ZZ	6004HT270	6013 2RSC3	614-2935 YSX
6212 C4	60BNC10 JAPAN NSK VB5B	6004LB	6013c2	6160608 YRX2
6212 GJN C4	60BNC10 TY ZD55C	6004LLUC3/5K	6013Z	61611-15 YRX2
6212 M/C4 VL0241	60BNR10HTYNDB LP4	6004RS	6014 2RS	61611-15 YRX2 row
6212 RZ	60BNR10HTYSUE LP4Y	6004ZZ	6014 2RSC3	6161115YRX2
6212 S	60BNR10STYNDU LP4	6004-ZZ	6015 2rs	"61617/25 YRX2 row"
6212 Z / C3	60BNR19	6004ZZC3	6015 LLU C3	row"
6212 Z C3+6212 Z C3	60KBE-43+L	6005 2 RS	6015ZZCM/5K	61617-25 YRX2
6212 Z/C3	60TAC120	6005 2RS	6016 ZZ	61617-25-YRX2
6212 ZC3	60TAC120B SUC10PN7B	6005 ZZ	6016-LLU C3	61671-YRX2
6212 ZNR	60TAC120BSUC1 0PN7B	6005 L1CC3P5	6016LU	617YSX
6212 ZNRC3	60TACO3A	6005 ZZ	6016ZZ	617-YSX
6212 ZZ	6134DDUC3 AS2S	6005 ZZ	6018 2RS	618/530
6212 ZZ C3	616 ZZ	6005 ZZ P5	6018 -2RS	61804-2rs
6212 ZZ C4	618/6	6005 ZZ	6018 ZZ	61826 ZZ

6212 ZZ/C3	61802 ZZ	6005-2ZRC3	6019 NR C3	619 YSX 11-13
6212 ZZC3	61808DDU	6005LB	6020 LLB	62/22LLU C3
6212	61820 VV C3	6005LLU	6020 LLBC 3/5K	62/22LLUC3
6212 2RS	61824 VV C3	6005-LLU	6020 P5	62/22Z
6212 2RS1 C3	61826 VV C3	6005-LLUC3	6020 ZZ P5	62/28LLUC3
6212 2Z	61836 VV C3	6005LLUC3/2ASU 1	6020-LLU	620 GXX
6212 2Z / C3	61848 VV C3	6005LLUC3/5K	6022 LLUC3	620 GXX IC
6212 2Z C3	61908 2RS	6005NC3	6022-LLBC3	620 GXX IC(row)
6212 2Z/C3	61915 VV C3	6005Z	6024 ZZ	6200 LLUC3
6212 2ZC3	62/22 DU	6005ZZ	6024-ZR	6200 ZZ
6212 C3	62/22-ZZ	6005-ZZ	6030 2RS	6200 ZZ
6212 -C3	62/28	6006 L1CC3P5	6032 ZZC3	6200 ZZ C3
6212.2Z	62/28DDU	6006 LLU	6052 Z	6200-2NSE9C3
6212.C3	6200 DDU	6006 ZZ	605ZZC3	6200ZZ
6212/C3	6200 LLU	6006 ZZ	606Z	6200LLUCM/5K
6212/C3-*SKF	6200 VVCM	6006 ZZC3	607 YSX	6200Z
6212/C4	6200 ZZ	6006 ZZNR	607 ZZ	6200ZZ
6212-2RS	6200 ZZ	6006 ZZNR/5K	607-11-17 YSX2	6201 ½ ZZ
6212-2RS C3	6200 ZZ C3	6006ZZ	607ZZ	6201 2RS
6212-2RS/C3	6200 ZZ CM	6006CM/5K	608 2RSH	6201 LBZZ
6212-2RS1	6200 2RS	6006-LLBC3	608 Z	6201 LL
6212-2RS1	6200 2RSI	6006LLU	608 ZZ	6201 LLUC3
6212-2RS1/C3	6200 ZZ	6006LLU/2ASU1	608 ZZ	6201 Z
6212-2RS1C3	62000.2RS	6006-LLUC3	608LLUC3	6201 ZZ
6212-2RSH	62001.2RS	6006ZC3	608-LLUC3	6201 ZZ
6212-2Z	6200-2R	6006ZZ	608Z	6201 ZZC3
6212-2Z	6200-DDU	6006-ZZ	608ZZ	6201/ZZ
6212-2Z C3	6200DU	6006ZZ	608ZZ	6201-1/2DDU
6212-2Z C3 / VA208	6200LLB/LP03	6007 2RS	608ZZ/2AS	6201-2ZRC3
6212-2Z	6200-NCX	6007 LLB	608ZZC3	6201LLB/13C3
6212-2Z(C3)	6200RS	6007 ZZ	609 A06 YRX	6201LLU
6212-2Z/ C3	6200T1XDDW1C MR	6007 ZZ	609 A08-15 YSX	6201LLUC3/5K
6212-2Z/C3	6200VV	6007 ZZCM/5K	6092529YSX	6201Z
6212--2Z/C3	6200Z	6007-LLUC3	60959 YSX	6201ZNR
6212-2Z/C3 GJN	6200ZZ	6007Z	609A06 YRX	6201ZZ
6212-2Z/C3GJN	6200ZZC3	6007ZZ	609A08-15YSX	6201-ZZ
6212-2Z/C4	6200ZZCM	6007-ZZ	609A-15 YSX	6202 2RS
6212--2Z/C4	6200ZZNCXCM NS7S	6007ZZCM/5K	609LL	6202 llbc3
6212-2ZC3	6201 2RS	6008 ZZ	609ZZ	6202 LLU C3
6212-2Z-C3	6201 2Z C3	6008LLB	60UZ417 T2X-SX	6202 LLU/15.875
6212-2ZR	6201 DDU	6008LLU	60UZS417	6202 Z
6212C3	6201 DDUC3	6008-LLUC3	60UZS87	6202 ZZ

6212-C3	6201 LLUCM5K	6008ZZ	610 2529YRX	6202 ZZ
6212NJC3S1	6201 Z	6008-ZZ	610 2529YRX	6202 ZZ C3
6212RZ	6201 ZZ	6009 ZZ/CM/5K	61011-15 YRX	6202 ZZ C3
6212SE/C4	6002ZZP5	6009Z	61011-15YRX	6202 ZZ-C3
6212-SKF	6003 2RS	6009-ZZ C3	61011-15YRX2	6202 ZZ/5K
6212-Z	6003 ZZ	6009ZZCM/5K	610-17YSX	6202-2RSC3
6212-Z/C3	6003 ZZ	6010 LLUC3	61021 YRX	6202ZZ
6212Z/C3	6003 ZZ	6010 ZZ	61021 YRX	6202-2ZRC3
6212-Z/C4	6003 ZU1	6010 ZZ	6102529 YRX	6202DDU
6212-ZC3	6003-LLB/2AU1	6010 2RSC3	6102529 YSX	6202LB
6212-Z-C3	6003LLU	6010LB	61051 YRX	6202LLU
6212ZC4	6003LLU/2ASU1	6010LLU	61051-YRX	6202-LLU
6212-ZNR	6003-LLUC3	6010-LLUC3	61087 YRX	6202LLUC3/5K
6212ZZ	6003LLUC3/2AS1	6010ZZ	611 GSS	6202Z
6212-ZZ	6003LLUC3/5K	6011 2RSC3	6111115-YSX	6202zz
608-ZZ	6003Z	6011 ZZ	611-7187	6202-ZZ
608ZZ CM	6003ZZ	6011-2ZRC3	611GSS	6202ZZ
608ZZ1MC3E	6003-ZZ	6012 2RS	612- 0608-YRX	6202ZZ / LP03
608-ZZ1MC3E	6003ZZC3	6012 Z	6120 608-YRX	6202ZZC3
609 – 2 RSR	6003ZZC3P4	6012 zz	6120608 GRX	6203 2RS
-	6004 2RS	6012 2RSC3	6120608 YRX	6203 ZZ
-	6004 ZZ	-	61206-08 YRX	6203 LLU
-	6004 LL	-	6120608 YRX	6203 LU
-	6004 LLU	-	61213-17 YSX	6203 ZZ
-	-	-	612-137 YSX	6203 ZZ
-	-	-	61221YRX NTN.	-
-	-	-	612-2529 YSX	-
-	-	-	6122529 YSX2	-

Support rollers with flange rings, with an inner ring - NUTR 30 X Imperial (inch) PrintExport as PDF. NUTR 30 X. Dimensions I would like to know Follow SKF. Facebook · YouTube · LinkedIn · Twitter · Instagram · Tumblr NUTR 15 A - SKF SKF uses cookies on our web site to align the information shown as closely as possible to the visitors' preferences and to tailor our web site user experience in

NUTR 1747 A - SKF Basic dynamic load rating, C, 22, kN. Basic static load rating, C0, 27, kN. Fatigue load limit, Pu, 3.05, kN. Maximum dynamic radial loads, Fr, max. 30, kN SKF - NUTR 30 A - Motion Industries SKF NUTR 30 A. Crowned Yoke Roller - Chrome Steel, 62 mm Roller Diameter, 30 mm Bore, 29 mm Roller Width, Open